

Surgery Center

Patient Instructions After Upper GI endoscopy

Patient: Verlin Anderson
MRN: [REDACTED]
Procedure Date: Friday, December 15, 2023
Attending MD: [REDACTED]

Your Doctor recommends:

Normal exam. No obvious cause for chest pain

You have a contact number available for emergencies. The signs and symptoms of potential delayed complications were discussed with you. You may return to normal activities tomorrow. Written discharge instructions were provided to you.

Resume your previous diet.

Continue your present medications.

Return to my office as needed.

Go directly to the emergency room if you notice any of the following:

- Chills and fever over 101
- Persistent vomiting or vomiting with blood
- Severe abdominal pain, other than gas cramps
- Severe chest pain
- Black, tarry stools
- Any bleeding - exceeding one tablespoon

General Instructions/information:

- Some Anesthetic agents and medications may cause nausea. If nausea persists for several hours after returning home, please contact your doctor
- You may experience light headedness and dizziness following your procedure. A responsible adult should remain with you today
- Do not smoke, drink alcohol, operate heavy machinery or drive for the next **24 hours** after your procedure
- Do not sit for several hours at a time due to the risk of blood clots. While awake, get up and move around with assistance and/or move your feet in a circular motion to increase blood flow

If you have any questions on the above instructions, please call [REDACTED]

Nurse Signature

Patient/Designated Responsible Party Signature

surgery Center

Patient Instructions After Colonoscopy

Patient: Verlin Anderson

MRN: [REDACTED]

Procedure Date: 023

Attending MD: [REDACTED]

Your Doctor recommends:

Normal, no polyps. Alot of black seeds!

You are being discharged to home.

Resume your previous diet.

Continue your present medications.

Your physician has indicated that a repeat colonoscopy is not recommended.

Go directly to the emergency room if you notice any of the following:

- Chills and fever over 101
- Persistent vomiting or vomiting with blood
- Severe abdominal pain, other than gas cramps
- Severe chest pain
- Black, tarry stools
- Any bleeding - exceeding one tablespoon

General Instructions/information:

- Some Anesthetic agents and medications may cause nausea. If nausea persists for several hours after returning home, please contact your doctor
- You may experience light headedness and dizziness following your procedure. A responsible adult should remain with you today
- Do not smoke, drink alcohol, operate heavy machinery or drive for the next **24 hours** after your procedure
- Do not sit for several hours at a time due to the risk of blood clots. While awake, get up and move around with assistance and/or move your feet in a circular motion to increase blood flow

If you have any questions on the above instructions, please call [REDACTED]

Nurse Signature

Patient/Designated Responsible Party Signature

surgery Center

patient Name: Verlin Anderson
MRN: [REDACTED]
Age: 59
Gender: Male
Attending MD: [REDACTED]

Procedure Date: 12/15/2023 11:16 AM
Date of Birth: 1/26/1964
Room: [REDACTED]
Note Status: [REDACTED]

Procedure: Upper GI endoscopy
Indications: Chest pain (non cardiac)
Providers: [REDACTED]
Referring MD: [REDACTED]

See the Anesthesia note for documentation of the administered medications



Procedure: After obtaining informed consent, the endoscope was passed under direct vision. Throughout the procedure, the patient's blood pressure, pulse, and oxygen saturations were monitored continuously. The Endoscope was introduced through the mouth, and advanced to the second part of duodenum. The upper GI endoscopy was accomplished without difficulty. The patient tolerated the procedure well.

Complications: No immediate complications.

Findings:

- The esophagus was normal (except benign inlet patch)
- The stomach was normal.
- The cardia and gastric fundus were normal on retroflexion.
- The examined duodenum was normal.

Add! Images:




B



fl Gastric Antrum



IJ



◆ Lower Third of the Esophagus

Impression:

- Normal esophagus.
- Normal stomach.
- Normal examined duodenum.
- No specimens collected.

Recommendation:

- Patient has a contact number available for emergencies. The signs and symptoms of potential delayed complications were discussed with the patient. Return to normal activities tomorrow. Written discharge instructions were provided to the patient.
- Resume previous diet.
- Continue present medications.
- Return to my office PRN.

Procedure Code(s): -- Professional -
43235, Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of

Surgery Center

Patient Name: Verlin Anderson
NRN: [REDACTED]
Age: 59
Gender: Male
Attending MD: [REDACTED]

Procedure Date: 12/15/2023 11:16AM
Date of Birth: 1/26/1964
Room: [REDACTED]
Note Status: [REDACTED]

specimen(s) by brushing or washing, when performed (separate procedure)
•• Technical ••
43235, Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)
Diagnosis Code(s): -- Professional ---
R07.89, Other chest pain
--- Technical ---
R07.89, Other chest pain

The codes documented in this report are preliminary and upon coder review may be revised to meet current compliance requirements.

[REDACTED]
[REDACTED]
12/15/2023 11:47:01 AM
Number of Addenda: 0
Note Initiated On: 12/15/2023 11:16:57 AM

Surgery Center



The Colon

Procedure Images

Add'l Images



8 Appendiceal Orifice